

Listing of the Claims:

This listing replaces all prior versions and listings of the claims.

1. (Currently amended) A method for enhancing ~~proliferation or~~ hematopoietic differentiation of a mammalian stem cell comprising, transfecting said stem cells in an in vitro culture medium with an exogenous nucleic acid comprising a cdx4 coding sequence operably linked to a promoter.
2. (Original) The method of claim 1, wherein the stem cell is a hematopoietic stem cell.
3. (Original) The method of claim 1, wherein the cell is a CD34+ cell.
4. (Original) The method of claim 1, wherein the cell is autologous.
5. (Original) The method of claim 1, wherein the cell is obtained from a human.
6. (Original) The method of claim 5, wherein the human is suffering from, or is susceptible to, decreased blood cell levels.
7. (Original) The method of claim 6, wherein the decreased blood cell levels are caused by chemotherapy, radiation therapy, bone marrow transplantation therapy or congenital anemia.
8. (Original) The method of claim 1, wherein the exogenous nucleic acid is a retroviral vector.
9. (Original) The method of claim 1, wherein the exogenous nucleic acid is an episomal vector.
10. (Original) The method of claim 1, wherein the stem cell is an embryonic stem cell.
11. (Cancelled)
12. (Currently amended) A method of treating a mammal in need of improved hematopoietic capability, comprising the steps of: (a) removing hematopoietic stem cells from the mammal; (b) ~~transfecting~~ transfecting said stem cells with exogenous nucleic acid comprising a cdx4 sequence[[s]]; (c) culturing said ~~transfected~~ transfected stem cells to form an expanded population of stem cells; and (d) returning said expanded cells to the mammal, whereby hematopoietic capability is improved.

13. (Original) The method of claim 12, wherein the mammal is a human.
14. (Original) The method of claim 12, wherein the exogenous nucleic acid is a retroviral vector.
15. (Cancelled)
16. (Currently amended) A method for enhancing ~~proliferation or~~ hematopoietic differentiation of a mammalian stem cell comprising, treating said stem cells by addition in an in vitro culture medium of an exogenous cdx₄ peptide.
17. (Original) The method of claim 16, wherein the stem cell is a hematopoietic stem cell.
18. (Original) The method of claim 16, wherein the cell is a CD34+ cell.
19. (Original) The method of claim 16, wherein the cell is autologous.
20. (Original) The method of claim 16, wherein the cell is obtained from a human.
21. (Original) The method of claim 20, wherein the human is suffering from, or is susceptible to, decreased blood cell levels.
22. (Original) The method of claim 21, wherein the decreased blood cell levels are caused by chemotherapy, radiation therapy, bone marrow transplantation therapy, or congenital anemia.
23. (Original) The method of claim 16, wherein the stem cell is an embryonic stem cell.
24. (Currently amended) The method of claim 16, wherein said cdx₄ is genetically fused to a transport moiety.
25. (Original) The method of claim 24, wherein said transport moiety is a fragment of HIV tat protein.
26. (Cancelled)
27. (Original) A method of treating a mammal in need of improved hematopoietic capability, comprising the steps of: (a) removing hematopoietic stem cells from the mammal; (b) treating said stem cells by administration of exogenous cdx₄ peptide; (c)

U.S.S.N. 10/528,808

Office Action mailed January 25, 2008

Amendment filed February 26, 2008

Page 4 of 6

culturing said stem cells to form an expanded population of stem cells; and (d) returning said expanded cells to the mammal, whereby hematopoietic capability is improved.

28. (Original) The method of claim 27, wherein the mammal is a human.

29. – 34 (Cancelled)